

Secoya 5.0

Overview

Feature	Description
Collection	Hot and Heavy II
Style	Secoya 5.0 (C2104)
Product Type	LVT
Size	9.84 in x 59.06 in
Construction	Flexible LVT
Total Thickness	5.0 mm
Wear Layer	20 mil (0.5 mm)
Finish	M-Force Ultra
Edge Profile	Micro-Beveled
Installation	Loose Lay
Installation Method	Monolithic, Brick Ashlar, Vertical Ashlar, Random
Recommended Adhesive	M95.0, M99, MS160, M700 Plus, or Total Bond Adhesive



Colorways



Hazelnut Oak

Color code: 848
Style number: C2104



Caramel Oak

Color code: 142
Style number: C2104



Stable Oak

Color code: 868
Style number: C2104



Phantom Oak

Color code: 738
Style number: C2104



Knotty Oak

Color code: 148
Style number: C2104



Pure Maple

Color code: 717
Style number: C2104



Frosted Oak

Color code: 727
Style number: C2104



Sandy Oak

Color code: 818
Style number: C2104



Toasted Oak

Color code: 872
Style number: C2104

Colorways



Chai Oak

Color code: 821
Style number: C2104



Chimney Oak

Color code: 917
Style number: C2104



Honey Maple

Color code: 828
Style number: C2104



Storm Oak

Color code: 928
Style number: C2104



Mystic Oak

Color code: 936
Style number: C2104




Toffee Oak

Color code: 838
Style number: C2104



Rustic Oak

Color code: 939
Style number: C2104



Amber Maple

Color code: 842
Style number: C2104

Testing

Feature	Description
Squareness	(ASTM F2421) Passes
Size and Tolerance	(ASTM F2421) Passes
Thickness	(ASTM F386) Passes
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) = 450
Wear Layer Thickness	20 mil (0.5 mm)
Lightfastness	(ASTM F1515) Passes
Light Reflectancy	54

Sustainability

Feature	Description
Embodied Carbon	11.6 kg CO2e/sq m2
Beyond Carbon Neutral	-0.58
Mindful Materials	Achiever

Packaging

Feature	Description
Pieces per Carton	6
Weight per Piece	7.018166666666667
Cartons Per Pallet	68
Square Feet per Carton	24.22
Weight per Carton	42.109

Warranties

Limited 20 Year M-Force Ultra Commercial Warranty