

Bolder 5.0

Overview

Feature	Description
Collection	Hot and Heavy II
Style	Bolder 5.0 (C2108)
Product Type	LVT
Size	18 in x 36 in
Construction	Flexible LVT
Total Thickness	5.0 mm
Wear Layer	20 mil (0.5 mm)
Finish	M-Force Ultra
Edge Profile	Squared Edge
Installation	Loose Lay
Installation Method	Monolithic, Brick Ashlar, Vertical Ashlar, Random
Recommended Adhesive	M95.0, M99, MS160, M700 Plus, or Total Bond Adhesive



Colorways

 Inferno Color code: 269 Style number: C2108	 Silk Color code: 938 Style number: C2108	 Bronze Color code: 832 Style number: C2108
 Lava Color code: 949 Style number: C2108	 Dune Color code: 838 Style number: C2108	 Shine Color code: 959 Style number: C2108
 Obsidian Color code: 969 Style number: C2108	 Flint Color code: 848 Style number: C2108	 Aura Color code: 859 Style number: C2108

Colorways



Slate

Color code: 925
Style number: C2108



Celestial

Color code: 929
Style number: C2108

Testing

Feature	Description
Squareness	(ASTM F2421) Passes
Size and Tolerance	(ASTM F2421) Passes
Thickness	(ASTM F386) Passes
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) = 450
Wear Layer Thickness	20 mil (0.5 mm)
Lightfastness	(ASTM F1515) Passes
Light Reflectancy	12

Sustainability

Feature	Description
Embodied Carbon	11.6 kg CO2e/sq m2
Beyond Carbon Neutral	-0.58
Mindful Materials	Achiever

Packaging

Feature	Description
Pieces per Carton	6
Weight per Piece	7.81
Cartons Per Pallet	46
Square Feet per Carton	27
Weight per Carton	46.860

Warranties

Limited 20 Year M-Force Ultra Commercial Warranty